

Product datasheet

Specifications



Auxiliary contacts. TeSys GS. 2 C/O. early break. side mounting. for GS1 32 A with direct front/right handle

GS1AM211

! To be discontinued

! Discontinued on: 31 Jan 2024

Price: 1,328.19 ZAR

Main

Range Of Product	TeSys
Device Short Name	GS1AM
Product Or Component Type	Auxiliary contact
Contact Application	O and I position signalling
Range Compatibility	TeSys TeSys GS GS1D fuse-switch disconnecter
Contacts Type And Composition	2 C/O
Contact Operation	Early-break
[Ith] Conventional Free Air Thermal Current	16 A (at 40 °C)
[Ie] Rated Operational Current	5 A at 127 V AC-15 4 A at 230 V AC-15 3 A at 400/415 V AC-15 2 A at 440 V AC-15 12 A at 24 V DC-13 2 A at 48 V DC-13 0.6 A at 110 V DC-13 0.4 A at 220 V DC-13

Complementary

Mechanical Durability	1 Mcycles
Electrical Durability	30000 cycles AC-15
Switch Rated Current	32 A
Fuse Type	NFC DIN BS
Type Of Operating Handle	Direct frontal
Mounting Location	Right side
Net Weight	0.07 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.0 cm
Package 1 Width	8.0 cm
Package 1 Length	12.0 cm

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Package 1 Weight	83.0 g
Unit Type Of Package 2	S01
Number Of Units In Package 2	7
Package 2 Height	15.0 cm
Package 2 Width	15.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	806.0 g

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)
