


Product datasheet

Specifications



Electronic alarm. Harmony XVS. white. PNP. mounting support DIN 72. 0...90 dB. 16 tones. 4 channels. 12...24 V DC

XVS72BMWP

Price: 3,972.09 ZAR

Main

Range Of Product	Harmony XVS
Product Or Component Type	Electronic alarm
Device Short Name	XVS

Complementary

Colour	White
Material	ABS (acrylonitrile butadiene-styrene): body PC (polycarbonate): terminal cover
Marking	CE
Overvoltage Category	Class II conforming to IEC 61140
Mounting Support	72 mm DIN rail
[Us] Rated Supply Voltage	12...24 V DC
[Uimp] Rated Impulse Withstand Voltage	0.8 kV
Current Consumption	117 mA at 12 V 125 mA at 24 V 158 mA at 12 V 200 mA at 24 V
Clamping Connection Capacity	$\leq 1 \times 1.5 \text{ mm}^2$
Width	72 mm
Height	72 mm
Depth	69.3 mm
Net Weight	0.18 kg

Environment

Discrete Output Type	PNP
Signalling Type	16 tones alarm
Standards	IEC 61000-6-3 IEC 61000-6-2 UL 464
Product Certifications	UR
Protective Treatment	TC
Ambient Air Temperature For Storage	-35...70 °C
Ambient Air Temperature For Operation	-10...50 °C

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Ip Degree Of Protection	Panel mounted: IP54 conforming to IEC 60529
--------------------------------	---

Noise Level	0...90 dB (continuous or intermittent tone) at 1 m
--------------------	--

Packing Units

Unit Type Of Package 1	PCE
-------------------------------	-----

Number Of Units In Package 1	1
-------------------------------------	---

Package 1 Height	10.5 cm
-------------------------	---------

Package 1 Width	9.3 cm
------------------------	--------

Package 1 Length	9.5 cm
-------------------------	--------

Package 1 Weight	265 g
-------------------------	-------

Unit Type Of Package 2	S03
-------------------------------	-----

Number Of Units In Package 2	16
-------------------------------------	----

Package 2 Height	30 cm
-------------------------	-------

Package 2 Width	30 cm
------------------------	-------

Package 2 Length	40 cm
-------------------------	-------

Package 2 Weight	5.164 kg
-------------------------	----------

Unit Type Of Package 3	S03
-------------------------------	-----

Number Of Units In Package 3	16
-------------------------------------	----

Package 3 Height	30 cm
-------------------------	-------

Package 3 Width	30 cm
------------------------	-------

Package 3 Length	40 cm
-------------------------	-------

Package 3 Weight	5.164 kg
-------------------------	----------

Contractual warranty

Warranty	18 months
-----------------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Mercury Free

RoHS Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu RoHS Directive Pro-active compliance (Product out of EU RoHS legal scope)

China RoHS Regulation [China RoHS declaration](#)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)

Dimensions Drawings

Electronic Alarm

Dimensions

